


Profession 100LS











AVIATION SNIP

STRAIGHT CUT, LEFT CUT, RIGHT CUT, NOTCH CUT, LONG CUT

Features

- Cuts up 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel.
 - Meets or exceeds industry specification ANSI/ASME B107.16-1998.
- Quick and simple spring-free automatic latch design (one hand release) offers additional safety.
- Serrated blades, induction hardened.
- Drop forged Chrome-Molybdenum Alloy steel blades.

Part No.	Description
T02001	Proferred Aviation Snips Straight Cut
T02002	Proferred Aviation Snips Left Cut
T02003	Proferred Aviation Snips Right Cut



Part No.	Description
T02004	Proferred Aviation Snips Notch Cut
T02005	Proferred Aviation Snips Long Cut

20 PIECE PHILLIPS / SLOTTED DRIVE BITS

PHILLIPS SIZE: PH1x1" TO PH3x2"

SLOTTED SIZE: 4F-5Rx1" TO 20F-22Rx1-1/4"

Features

- S2 steel.
- Durable plastic storage case.

Part No.	Description
T50002	Proferred 20 Piece Phillips Drive Bits PH1x1", 1/4" Hex Shank
T50003	Proferred 20 Piece Phillips Drive Bits PH2x1", 1/4" Hex Shank
T50004	Proferred 20 Piece Phillips Drive Bits PH3x1", 1/4" Hex Shank
T50009	Proferred 20 Piece Phillips Drive Bits PH1x2", 1/4" Hex Shank
T50010	Proferred 20 Piece Phillips Drive Bits PH2x2", 1/4" Hex Shank
T50011	Proferred 20 Piece Phillips Drive Bits PH3x2", 1/4" Hex Shank
T52004	Proferred 20 Piece Slotted Drive Bits 4F-5R x 1", 1/4" Hex Shank Blade Thickness: 0.034", Blade Width: 0.1875" (3/16")
T52005	Proferred 20 Piece Slotted Drive Bits 5F-6R x 1", 1/4" Hex Shank Blade Thickness: 0.036", Blade Width: 0.215" (43/200")
T52006	Proferred 20 Piece Slotted Drive Bits 6F-7R x 1", 1/4" Hex Shank Blade Thickness: 0.038", Blade Width: 0.25" (1/4")





Part No.	Description
T52007	Proferred 20 Piece Slotted Drive Bits 8F-10R x 1", 1/4" Hex Shank Blade Thickness: 0.042", Blade Width: 0.275" (11/40")
T52008	Proferred 20 Piece Slotted Drive Bits 10F-12R x 1", 1/4" Hex Shank Blade Thickness: 0.046", Blade Width: 0.281" (9/32")
T52009	Proferred 20 Piece Slotted Drive Bits 12F-14R x 1", 1/4" Hex Shank Blade Thickness: 0.05", Blade Width: 0.36" (9/25")
T52010	Proferred 20 Piece Slotted Drive Bits 14F-16R x 1", 1/4" Hex Shank Blade Thickness: 0.055", Blade Width: 0.457" (457/1000")
T52011	Proferred 20 Piece Slotted Drive Bits 16F-20R x 1-1/4", 5/16" Hex Bull Nose Shank Blade Thickness: 0.06", Blade Width: 0.503" (503/1000")
T52012	Proferred 20 Piece Slotted Drive Bits 20F-22R x 1-1/4", 5/16" Hex Bull Nose Shank Blade Thickness: 0.062", Blade Width: 0.545" (109/200")

5 PIECE MAGNETIC NUTSETTER KIT

SIZE: 1/4"x1-3/4" TO 1/2"x1-3/4"

Features

- Chrome vanadium steel
- Durable plastic storage case.

Part No.	Description
T51003	Proferred 5 Piece Magnetic Nutsetter 1/4" x 1-3/4", 1/4" Hex Shank
T51005	Proferred 5 Piece Magnetic Nutsetter 5/16" x 1-3/4", 1/4" Hex Shank





Part No.	Description
T51006	Proferred 5 Piece Magnetic Nutsetter 3/8" x 1-3/4", 1/4" Hex Shank
T51008	Proferred 5 Piece Magnetic Nutsetter 1/2" x 1-3/4", 1/4" Hex Shank

CALIFORNIA FRAMING/RIPPING CLAW CURVED CLAW/DRYWALL HAMMERS

SIZE: 1/4"x1-3/4" TO 1/2"x1-3/4"

- Features
 Head material 1055 medium carbon steel.
 Natural hickory handle.

Part No.	Description
T49001	Proferred 21 oz California Framing Hammer
T49013	Proferred 20 oz Ripping Claw Hammer





Part No.	Description
T49024	Proferred 16 oz Curved Claw Hammer
T49051	Proferred 12 oz Drywall Hammer





3 LB ONE PIECE FORGED CLUB HAMMER

Features

- **tures**Head material 1055 medium carbon steel.
 Head finish metallic finish, polished striking face.
 Designed to reduce vibration.
 Solid steel Head design creates less vibration.
 Double injection grip provides great comfort.

Part No.	Description
T49032	Proferred 3 LB One Piece Forged Club Hammer

16 oz Rubber Mallet

Features

- Head material black natural rubber. Natural hickory handle.

Part No.	Description
T49063	Proferred 16 oz Rubber Mallet

LONG ARM BALL POINT HEX KEY SET

SAE: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 INCH METRIC: 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 MM

- Integration of ergonomic double-layer holder: Holder marked for easy identification of the dimensions.
 Unique rotating function.
 Up to 25° angle entry.

Part No.	Description
T35002	Proferred 13 Pieces Long Arm Ball Point Hex Key Set (SAE)





Part No.	Description
T35005	Proferred 12 Pieces Long Arm Ball Point Hex Key Set (Metric)

20 PIECE SHORT ARM HEX KEY SET

SAE: 1/16, 5/64, 3/32, 1/8, 5/32,3/16, 7/32, 1/4, 5/16, 3/8 INCH METRIC: 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 MM

Features

- ABS storage case. Clear long lasting marking. Dual case: SAE and METRIC hex key in one box.

Part No.	Description
T36001	Proferred 20 Piece Short Arm Hex Key Set

ALL PURPOSE 7 IN 1 ANGLE NOSE PLIERS

LENGTH: 8"

- Crimps & strips crimps 10-22 AWG terminals and connectors. Strips 10-14 AWG solid and 12-16 AWG wire.

- Strips 10-14 AWG solid and 12-16 AVVG Wire.

 Bolt cutter #6, #8.

 Diamond tooth design allows for greater gripping ability.

 Induction-hardened cutting edges for hard & soft wire cutting.

 Angled head design allows for overall greater flexibility.

 Thumb lock: Locking mechanism on grip handles.

 Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T20101	Proferred All Purpose 7 in 1 Angle Nose Pliers









HIGH LEVERAGE HEAVY DUTY DIAGONAL PLIERS. **TPR GRIP**

LENGTH: 7", 8"

- Special high leverage design for increased cutting power.

 Hardened cutting edge cuts various types of wires and extends cutting edge life cycle.

 Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T18002	Proferred 7" High Leverage Heavy Duty Diagonal Pliers, TPR Grip



Part No.	Description
T18003	Proferred 8" High Leverage Heavy Duty Diagonal Pliers, TPR Grip

DIAGONAL CUTTING PLIERS. TPR GRIP

LENGTH: 6"

Features

Hardened cutting edge cuts various types of wires and extends cutting edge life cycle. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T17001	Proferred 6" Diagonal Cutting Pliers, TPR Grip (Non-Heavy Duty)

HIGH LEVERAGE HEAVY DUTY LINEMAN'S PLIERS. **TPR GRIP**

LENGTH: 8.5", 9.5"

- Superior diamond teeth design for greater gripping ability. Special high leverage design for increased cutting power. Hardened cutting edge cuts various types of wires. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T15001	Proferred 8.5" High Leverage Heavy Duty Lineman's Pliers, TPR Grip



Part No.	Description
T15002	Proferred 9.5" High Leverage Heavy Duty Lineman's Pliers, TPR Grip

SIDE CUTTING LONG NOSE PLIERS. TPR GRIP

LENGTH: 6", 7"

Features

- Superior diamond teeth design allows for greater gripping ability. Hardened cutting edge cuts various types of wires. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T19001	Proferred 6" Side Cutting Long Nose Pliers, TPR Grip



Part No.	Description
T19002	Proferred 7" Side Cutting Long Nose Pliers, TPR Grip

LONE NOSE PLIERS WITHOUT CUTTER. TPR GRIP

LENGTH: 6"

- Special design improves access in tight and narrow spaces. Superior diamond teeth design allows for greater gripping ability. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T20001	Proferred 6" Long Nose Pliers without Cutter, TPR Grip (Non-Heavy Duty)







SLIP JOINT PLIERS, TPR GRIP

LENGTH: 6.5", 8"

Features

- Two functioning positions adjustment lay-on and single rivet joint.
- Serrated jaws. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T21001	Proferred 6.5" Slip Joint Pliers, TPR Grip

STRAIGHT JAW GROOVE JOINT PLIERS, COATED GRIP

LENGTH: 8", 10", 12", 16", 20"

- Wide range of jaw adjustments and machined jaw grooves.
- Lay-on slip-joint. Non-slip cushion grips.

Part No.	Description
T16001	Proferred 8" Straight Jaw Groove Joint Pliers, Coated Grip
T16002	Proferred 10" Straight Jaw Groove Joint Pliers, Coated Grip
T16003	Proferred 12" Straight Jaw Groove Joint Pliers, Coated Grip

Part No.	Description
T21002	Proferred 8" Slip Joint Pliers, TPR Grip



Part No.	Description
T16004	Proferred 16" Straight Jaw Groove Joint Pliers, Coated Grip
T16005	Proferred 20" Straight Jaw Groove Joint Pliers, Coated Grip

HAND-OPERATED RIVET TOOL

NOSEPIECE: 3/32", 1/8", 5/32", 3/16"

Features

T01002

- Chrome steel and heat treated jaw & jaw case. High grade aluminum die cast housing.
- Carbon steel forged & heat treated handle.

Part No.	Description
T04002	HR-705 Proferred Hand Operated Rivet Tool 2 Jaw



HAND-OPERATED LEVER TOOL

NOSEPIECE: 1/8", 5/32", 3/16", 7/32", 1/4"

Nosepiece 3/32", 1/8", 5/32", 3/16"

- Lever design reduces physical strength for all rivet sizes. Grip design for comfort, safety and utility.

Part No.	Description
T01003	HR-730 Proferred Hand Operated Lever Tool 3 Jaw Nosepiece 1/8", 5/32",3/16", 7/32", 1/4"



		Proferred	
-		Proferred	

	Part No.	Description
	T25040	Proferred No.2x4" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
	T25041	Proferred No.2x6" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
	T25042	Proferred No.2x8" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
	T25044	Proferred No.3x6" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
	T25045	Proferred No.3x8" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
_		

ACETATE CUSHION GRIP SCREWDRIVER

SLOTTED: 3/16"x4", 3/16"x6", 1/4"x4", 1/4"x6", 1/4"x8" PHILLIPS: #1x4", #2x4", #2x6", #2x8", #3x6", #3x8"

- Treated tip ensures perfect fit.
 Cellulose acetate material provides highest performance.
 Color coded handle for visual identification of Slotted and Phillips.
 TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No.	Description
T25007	Proferred 3/16"x4"Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25008	Proferred 3/16"x6" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25011	Proferred 1/4"x4" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25012	Proferred 1/4"x6" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25013	Proferred 1/4"x8" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25036	Proferred No.1x4" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)





GO-THRU SCREWDRIVER

SLOTTED: 1/4"x4", 1/4"x6", 5/16"x6", 5/16"x8" PHILLIPS: #2x4", #2x6", #3x6", #3x8"

Features

- Go-thru designed screwdriver can absorb vibration produced during impact.

 Hexagonal shape shank can withstand higher impact force.

 Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.

 Color coded handle for visual identification of Slotted and Phillips.

_		
	Part No.	Description
	T26002	Proferred 1/4"x4" Go-Thru Screwdriver Slotted (Red Handle)
	T26003	Proferred 1/4"x6" Go-Thru Screwdriver Slotted (Red Handle)
	T26004	Proferred 5/16"x6" Go-Thru Screwdriver Slotted (Red Handle)
	T26005	Proferred 5/16"x8" Go-Thru Screwdriver Slotted (Red Handle)



Part No.	Description
T26012	Proferred No.2x4" Go-Thru Screwdriver Phillips (Blue Handle)
T26013	Proferred No.2x6" Go-Thru Screwdriver Phillips (Blue Handle)
T26014	Proferred No.3x6" Go-Thru Screwdriver Phillips (Blue Handle)
T26015	Proferred No.3x8" Go-Thru Screwdriver Phillips (Blue Handle)

INSULATED (1000V) SCREWDRIVER

SLOTTED: 3/32"x3", 1/8"x4", 7/32"x5", 1/4"x6", 5/16"x7" PHILLIPS: #0x2-3/8", #1x3-3/16", #2x4", #3x6"





- Patented dual layer design provides greater protection against electric shock.

 Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No.	Description
T27004	Proferred 7/32"x5" Insulated (1000V) Screwdriver Slotted
T27005	Proferred 1/4"x6" Insulated (1000V) Screwdriver Slotted
T27006	Proferred 5/16"x7" Insulated (1000V) Screwdriver Slotted

Part No.	Description
T27022	Proferred No.1x3-3/16" Insulated (1000V) Screwdriver Phillips
T27023	Proferred No.2x4" Insulated (1000V) Screwdriver Phillips
T27024	Proferred No.3x6" Insulated (1000V) Screwdriver Phillips

4 PIECE INSULATED (1000V) SCREWDRIVER SET 📤 😂

Patented dual layer design provides greater protection against electric shock. Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.





Part N	0.	Description
T2800	14	PROFERRED 4 PIECE INSULATED 1000V SCREWDRIVER SET Slotted: 1/4"x6", 5/16"X7", Phillips: No. 1x3-3/16", No. 2X4"

5 PIECE TORX® SCREWDRIVER SET

Treated tip ensures perfect fit.

Cellulose acetate material provides highest performance.

TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T28002	PROFERRED 5 PIECE TORX® SCREWDRIVER SET T10x4", T15x4", T20x4", T25x4", T30x4"

5 IN 1 STUBBY BIT DRIVE SET

High torque coefficient will prevent the screwdriver from breaking when the tool is overstressed. Cellulose acetate material provides highest performance.

TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T29001	PROFERRED 5 IN 1 STUBBY BIT DRIVE SET Stubby Bit Holder Driver, Phillips Bits: #1, #2, Slotted Bits: 3/16", 1/4", Nut Driver: 1/4"





6 PIECE ACETATE CUSHION GRIP SCREWDRIVER SET

Features

Treated tip ensures perfect fit.
Cellulose acetate material provides highest performance.
Color coded handle for visual identification of Slotted and Phillips.
TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No. Description

T28001 PROFERRED 6 PIECE SCREWDRIVER SET Slotted: 3/16"x3", 3/16"x6", 1/4"x4", 5/16"x6", Phillips: No.1x3", No.2x4"

7 PIECE HOLLOW SHANK NUT DRIVER SET

Treated tip ensures perfect fit.

Cellulose acetate material provides highest performance.
TPV cushion grip provides slip resistance to chemical, oil and most solvents

Part No. Description

PROFERRED 7 PIECE HOLLOW SHANK NUT DRIVER SET 3/16"x3", 1/4"x3", 5/16"x3", 1/132"x3", 3/8"x3", 7/16"x3", 1/2"x3"

9 IN 1 REGULAR BIT DRIVE SET

Features

T28003

High torque coefficient will prevent the screwdriver from breaking when the tool is overstressed Cellulose acetate material provides highest performance.

TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No. Description

T29002 PROFERRED 9 IN1 REGULAR BIT DRIVE SET Regular Bit Holder Driver, Phillips Bits: #1, #2, Slotted Bits: 3/16", 1/4", TORX® Bits: T15, T20, Nut Drivers: 1/4", 5/16", 3/8"

14 IN 1 PRECISION BIT DRIVE SET

Bit holder driver's locking system holds the blade at desired length during use. Phillips

Slotted TORX®

Hex

Part No.	Description

PROFERRED 14 IN 1 PRECISION BIT DRIVE SET Phillips Bits: #000, #00, #0, Slotted Bits: 1/16", 5/64", 1/8", TORX® Bits: T5, T6, T7, T8, Hex Bits: 5/64", 3/32" 1/8", 5/32"

19 IN 1 RATCHETING SCREWDRIVER DRIVE SET

Features

T29004

Torque the torque is above 390lbs-in.
Ratchet: The ratchet permits high-speed action with grip adjustments and can be combined with

popular driver ends.

The perfect handle design allows the handle to disperse the pressure evenly when applying force.


Part No. Description

> PROFERRED 19 IN 1 RATCHETING SCREWDRIVER DRIVE SET Ratcheting Handle with Storage, Phillips Bits: #1, #2, #3, Slotted Bits: 3/16", 1/4", 5/16", TORX® Bits: T15, T20, T25, T30, Square Bits: #1, #2, Hex Bits: 1/8", 5/32", 3/16", 1/4", Nut Drivers: 1/4", 5/16", 7/16"

1/4" DRIVE STANDARD SOCKET

MASTER SET-48 PIECE











3/8" DRIVE STANDARD SOCKET MASTER SET-37 PIECE



Part No.	Description	
	· · · · · · · · · · · · · · · · · · ·	
S01002 PROFERRED 3/6" DRIVE STANDARD SAE-MT - 6 SOCKET MASTER SET 37 PIECE		
3/8" Drive SAE 6 Po	int Standard Socket 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	3/8" Drive Flex Handle (Breaker Bar) 10"
3/8" Drive Metric 6 P 17mm, 18mm, 19mr	Point Standard Socket 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, n	Spark plug Sockets 5/8", 13/16"
3/8" Drive Pear Rate	chet Handle 72 Teeth 8"	3/8" F - 1/4" M Adapter
3/8" Drive Extension Bar 3", 6", 10"		1/2" F - 3/8" M 3 way Adapter
3/8" Drive Universal	Joint	

1/2" DRIVE STANDARD SOCKET MASTER SET-21 PIECE



Part No.	Description	
S01003	PROFERRED 1/2" DRIVE STANDARD SAE - 12 POINT SOCKET MASTER SET 21 PIECE	
1/2" Drive SAE 12 Po 1-3/16", 1-1/4"	oint Standard Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8",	1/2" Drive Universal Joint
1/2" Drive Pear Ratchet Handle 60 Teeth 10"		1/2" Drive Flex Handle (Breaker Bar) 15"
1/2" Drive Extension Bar 5", 10"		3/8" F - 1/2" M 3 way Adapter


3/4" DRIVE STANDARD SOCKET MASTER SET-15 PIECE



Part No.	Description	
S01004	PROFERRED 3/4" DRIVE STANDARD SAE - 12 POINT SOCKET MASTER SET 15 PIECE	
3/4" Drive SAE 12 Poi	int Standard Socket 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"	3/4" Drive Universal Joint
3/4" Drive Pear Ratch	et Handle 24 Teeth 20"	3/4" Drive Flex Handle (Breaker Bar) 20"
3/4" Drive Extension Bar 4", 8"		

1/4" DRIVE 6 POINT SOCKET SETS SAE-METRIC STANDARD & DEEP-11 PIECE

SOCKET RAIL INCLUDED





Part No.	Description
S05001	PROFERRED 1/4" DRIVE METRIC 6 POINT STANDARD SOCKET SET 11 PIECE
1/4" Drive Metric 6 I	Point Standard Socket 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm
Part No.	Description
Part No. S05101	Description PROFERRED 1/4* DRIVE METRIC 6 POINT DEEP SOCKET SET 11 PIECE





3/8" DRIVE SOCKET SETS 6 POINT & 12 POINT **SAE-METRIC STANDARD & DEEP**

SOCKET RAIL INCLUDED

Part No.	Description	
S06001	PROFERRED 3/8" DRIVE SAE 6 POINT STANDARD SOCKET SET 15 PIECE	
3/8" Drive SAE 6 Poir 15/16", 1"	3/8" Drive SAE 6 Point Standard Socket 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	
Part No.	Description	
S06301	PROFERRED 3/8" DRIVE SAE12 POINT DEEP SOCKET SET 12 PIECE	
3/8" Drive SAE12 Point Deep Socket 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"		

1/2" DRIVE 12 POINT SAE-METRIC SOCKET SETS **STANDARD & DEEP**

SOCKET RAIL INCLUDED

Part No.	Description
S08201	PROFERRED 1/2" DRIVE SAE 12 POINT STANDARD SOCKET SET 15 PIECE
1/2" Drive SAE 12 1-3/16", 1-1/4"	Point Standard Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8",
Part No.	Description
S08301	PROFERRED 1/2" DRIVE SAE 12 POINT DEEP SOCKET SET 12 PIECE

1/2" DRIVE 6 POINT IMPACT SOCKET SETS

Part No.	Description
S11001	PROFERRED 1/2" DRIVE SAE 6 POINT STANDARD IMPACT SOCKET SET 15 PIECE
1/2" Drive SAE 6 Point 1-1/8", 1-3/16", 1-1/4"	t Standard Impact Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16",
Part No.	Description
S11101	PROFERRED 1/2" DRIVE SAE 6 POINT DEEP IMPACT SOCKET SET 15 PIECE
1/2" Drive SAE 6 Poin	t Deep Impact Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16",

CHROME & IMPACT SOCKETS

Features

- Stress reduced hex drive Forged for maximum strength
- Packed on a rail

Part No.	Description	
1/4" DRIVE SAE 6 POINT STANDARD CHROME / DEEP CHROME SOCKETS		
S15005	Standard Chrome Socket 5/32"	
S15006	Standard Chrome Socket 3/16"	
S15007	Standard Chrome Socket 7/32"	
S15008	Standard Chrome Socket 1/4"	
S15009	Standard Chrome Socket 9/32"	
S15010	Standard Chrome Socket 5/16"	
S15011	Standard Chrome Socket 11/32"	
S15012	Standard Chrome Socket 3/8"	
S15014	Standard Chrome Socket 7/16"	

Part No.	Description
S15016	Standard Chrome Socket 1/2"
S15018	Standard Chrome Socket 9/16"
S15105	Deep Chrome Socket 5/32"
S15106	Deep Chrome Socket 3/16"
S15107	Deep Chrome Socket 7/32"
S15108	Deep Chrome Socket 1/4"
S15109	Deep Chrome Socket 9/32"
S15110	Deep Chrome Socket 5/16"
S15111	Deep Chrome Socket 11/32"
S15112	Deep Chrome Socket 3/8"



Part No.	Description	
S07001	PROFERRED 3/8" DRIVE METRIC 6 POINT STANDARD SOCKET SET 17 PIECE	
3/8" Drive Metric 6 Point Standard Socket 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm		
Part No.	Description	
S07301	PROFERRED 3/8" DRIVE METRIC 12 POINT DEEP SOCKET SET 12 PIECE	

3/8" Drive Metric 12 Point Deep Socket 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm,



Part No.	Description
S09201	PROFERRED 1/2" DRIVE METRIC 12 POINT STANDARD SOCKET SET 15 PIECE
1/2" Drive 12 Point 22mm, 24mm, 27m	Metric Standard Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, m, 30mm, 32mm
Part No.	Description
S09301	PROFERRED 1/2" DRIVE METRIC 12 POINT DEEP SOCKET SET 12 PIECE
1/2" Drive Metric 12	A Daint Dans Contact 40mm 44mm 42mm 42mm 44mm 45mm 47mm 40mm 40mm 24mm 22mm



Part No.	Description
S12001	PROFERRED 1/2" DRIVE METRIC 6 POINT STANDARD IMPACT SOCKET SET 16 PIECE
1/2" Drive Metric 6 Point Standard Impact Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, 27mm, 30mm, 32mm	
Part No.	Description
S12101	PROFERRED 1/2" DRIVE METRIC 6 POINT DEEP IMPACT SOCKET SET 15 PIECE
1/2" Drive Metric 6 Point Deep Impact Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm, 27mm	



	5/32	
Part No.	Description	Part No.
S15114	Deep Chrome Socket 7/16"	S16008
S15116	Deep Chrome Socket 1/2"	S16009
S15118	Deep Chrome Socket 9/16"	S16010
	METRIC 6 POINT STANDARD	S16011
HKUME /	DEEP CHROME SOCKETS	

S15116	Deep Chrome Socket 1/2"
S15118	Deep Chrome Socket 9/16"
	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS
S16002	Standard Chrome Socket 4mm
S16003	Standard Chrome Socket 4.5mm
S16004	Standard Chrome Socket 5mm
S16005	Standard Chrome Socket 5.5mm
S16006	Standard Chrome Socket 6mm
S16007	Standard Chrome Socket 7mm



Part No.	Description
S16008	Standard Chrome Socket 8mm
S16009	Standard Chrome Socket 9mm
S16010	Standard Chrome Socket 10mm
S16011	Standard Chrome Socket 11mm
S16012	Standard Chrome Socket 12mm
S16013	Standard Chrome Socket 13mm
S16014	Standard Chrome Socket 14mm
S16102	Deep Chrome Socket 4mm
S16104	Deep Chrome Socket 5mm
S16106	Deep Chrome Socket 6mm





							//
Part No.	Description	Part No.	Description	Part No.	Description	Part No.	Description
S16107	Deep Chrome Socket 7mm	S20308	Deep Chrome Socket 8mm	S24227	Standard Chrome Socket 27mm	S32118	Deep Impact Socket 9/16"
S16108	Deep Chrome Socket 8mm	S20309	Deep Chrome Socket 9mm	S24230	Standard Chrome Socket 30mm	S32120	Deep Impact Socket 5/8"
S16109	Deep Chrome Socket 9mm	S20310	Deep Chrome Socket 10mm	S24232	Standard Chrome Socket 32mm	S32122	Deep Impact Socket 11/16"
S16110	Deep Chrome Socket 10mm	S20311	Deep Chrome Socket 11mm	S24310	Deep Chrome Socket 10mm	S32124	Deep Impact Socket 3/4"
S16111	Deep Chrome Socket 11mm	S20312	Deep Chrome Socket 12mm	S24311	Deep Chrome Socket 11mm	S32126	Deep Impact Socket 13/16"
S16112	Deep Chrome Socket 12mm	S20313	Deep Chrome Socket 13mm	S24312	Deep Chrome Socket 12mm	S32128	Deep Impact Socket 7/8"
S16113	Deep Chrome Socket 13mm	S20314	Deep Chrome Socket 14mm	S24313	Deep Chrome Socket 13mm	S32130	Deep Impact Socket 15/16"
S16114	Deep Chrome Socket 14mm	S20315	Deep Chrome Socket 15mm	S24314	Deep Chrome Socket 14mm	S32132	Deep Impact Socket 1"
3/8" DRIVE CHROME S	SAE 6 POINT STANDARD	S20316	Deep Chrome Socket 16mm	S24315	Deep Chrome Socket 15mm	S32134	Deep Impact Socket 1-1/16"
S19008	Standard Chrome Socket 1/4"	S20317	Deep Chrome Socket 17mm	S24317	Deep Chrome Socket 17mm	S32136	Deep Impact Socket 1-1/8"
		S20318	Deep Chrome Socket 18mm	S24318	Deep Chrome Socket 18mm	S32138	Deep Impact Socket 1-3/16"
S19010	Standard Chrome Socket 5/16"	S20319	Deep Chrome Socket 19mm	S24319	Deep Chrome Socket 19mm	S32140	Deep Impact Socket 1-1/4"
S19012	Standard Chrome Socket 3/8"		SAE 12 POINT STANDARD	S24321	Deep Chrome Socket 21mm	S32142	Deep Impact Socket 1-5/16"
S19014	Standard Chrome Socket 7/16"		DEEP SOCKETS	S24322	Deep Chrome Socket 22mm	S32144	Deep Impact Socket 1-3/8"
S19016	Standard Chrome Socket 1/2"	S23212	Standard Chrome Socket 3/8"	S24324	Deep Chrome Socket 24mm	S32146	Deep Impact Socket 1-7/16"
S19018	Standard Chrome Socket 9/16"	S23214	Standard Chrome Socket 7/16"	3/8" DRIVE	SAE 6 POINT IMPACT SOCKETS	S32148	Deep Impact Socket 1-1/2"
S19020	Standard Chrome Socket 5/8"	S23216	Standard Chrome Socket 1/2"	S30010	Impact Socket 5/16"		METRIC 6 POINT STANDARD /
S19022	Standard Chrome Socket 11/16"	S23218	Standard Chrome Socket 9/16"	S30012	Impact Socket 3/8"		CT SOCKETS
S19024	Standard Chrome Socket 3/4"	S23220	Standard Chrome Socket 5/8"	S30014	Impact Socket 7/16"	S33010	Impact Socket 10mm
S19026	Standard Chrome Socket 13/16"	S23222	Standard Chrome Socket 11/16"	S30016	Impact Socket 1/2"	S33011	Impact Socket 11mm
S19028	Standard Chrome Socket 7/8"	S23224	Standard Chrome Socket 3/4"	S30018	Impact Socket 1/2 Impact Socket 9/16"	S33012	Impact Socket 12mm
S19030	Standard Chrome Socket 15/16"	S23226	Standard Chrome Socket 13/16"		<u> </u>	S33013	Impact Socket 13mm
S19032	Standard Chrome Socket 1"	S23228	Standard Chrome Socket 7/8"	S30020	Impact Socket 5/8"	S33014	Impact Socket 14mm
	SAE 12 POINT	S23230	Standard Chrome Socket 15/16"	S30022	Impact Socket 11/16"	S33015	Impact Socket 15mm
	OME SOCKETS	S23232	Standard Chrome Socket 1"	S30024	Impact Socket 3/4"	S33017	Impact Socket 17mm
S19308	Deep Chrome Socket 1/4"	S23234	Standard Chrome Socket 1-1/16"	3/8" DRIVE IMPACT SO	METRIC 6 POINT CKETS	S33018	Impact Socket 18mm
S19310	Deep Chrome Socket 5/16"	S23236	Standard Chrome Socket 1-1/8"	S31006	Impact Socket 6mm	S33019	Impact Socket 19mm
S19312	Deep Chrome Socket 3/8"	S23238	Standard Chrome Socket 1-3/16"	S31008	Impact Socket 8mm	S33020	Impact Socket 20mm
S19314	Deep Chrome Socket 7/16"	S23240	Standard Chrome Socket 1-1/4"	S31010	Impact Socket 10mm	S33021	Impact Socket 21mm
S19316	Deep Chrome Socket 1/2"	S23310	Deep Chrome Socket 5/16"	S31011	Impact Socket 11mm	S33022	Impact Socket 22mm
S19318	Deep Chrome Socket 9/16"	S23312	Deep Chrome Socket 3/8"	S31012	Impact Socket 12mm	S33024	Impact Socket 24mm
S19320	Deep Chrome Socket 5/8"	S23314	Deep Chrome Socket 7/16"	S31013	Impact Socket 13mm	S33027	Impact Socket 27mm
S19322	Deep Chrome Socket 11/16"	S23316	Deep Chrome Socket 1/2"	S31014	Impact Socket 14mm	S33030	Impact Socket 30mm
S19324	Deep Chrome Socket 3/4"	S23318	Deep Chrome Socket 9/16"	S31015	Impact Socket 15mm	S33032	Impact Socket 32mm
S19326	Deep Chrome Socket 13/16"				· · · · · · · · · · · · · · · · · · ·		<u> </u>
S19328	Deep Chrome Socket 7/8"	S23320	Deep Chrome Socket 5/8"	S31016	Impact Socket 16mm	S33110	Deep Impact Socket 10mm
S19330	Deep Chrome Socket 15/16"	S23322	Deep Chrome Socket 11/16"	S31017	Impact Socket 17mm	S33111	Deep Impact Socket 11mm
S19332	Deep Chrome Socket 1"	S23324	Deep Chrome Socket 3/4"	S31018	Impact Socket 18mm	S33112	Deep Impact Socket 12mm
	METRIC 6 POINT	S23326	Deep Chrome Socket 13/16"	S31019	Impact Socket 19mm	S33113	Deep Impact Socket 13mm
STANDARD	CHROME SOCKETS	S23328	Deep Chrome Socket 7/8"		SAE 6 POINT STANDARD / CT SOCKETS	S33114	Deep Impact Socket 14mm
S20006	Standard Chrome Socket 6mm	S23330	Deep Chrome Socket 15/16"	S32012	Impact Socket 3/8"	S33115	Deep Impact Socket 15mm
S20007	Standard Chrome Socket 7mm	S23332	Deep Chrome Socket 1"	S32014	Impact Socket 7/16"	S33116	Deep Impact Socket 16mm
S20008	Standard Chrome Socket 8mm		METRIC 12 POINT STANDARD DEEP CHROME SOCKETS	S32016	Impact Socket 1/2"	S33117	Deep Impact Socket 17mm
S20009	Standard Chrome Socket 9mm	S24210	Standard Chrome Socket 10mm	S32010 S32018	Impact Socket 1/2	S33118	Deep Impact Socket 18mm
S20010	Standard Chrome Socket 10mm					S33119	Deep Impact Socket 19mm
S20011	Standard Chrome Socket 11mm	S24211	Standard Chrome Socket 11mm	S32020	Impact Socket 5/8"	S33120	Deep Impact Socket 20mm
S20012	Standard Chrome Socket 12mm	S24212	Standard Chrome Socket 12mm	S32022	Impact Socket 11/16"	S33121	Deep Impact Socket 21mm
S20013	Standard Chrome Socket 13mm	S24213	Standard Chrome Socket 13mm	S32024	Impact Socket 3/4"	S33122	Deep Impact Socket 22mm
S20014	Standard Chrome Socket 14mm	S24214	Standard Chrome Socket 14mm	S32026	Impact Socket 13/16"	S33124	Deep Impact Socket 24mm
S20015	Standard Chrome Socket 15mm	S24215	Standard Chrome Socket 15mm	S32028	Impact Socket 7/8"	S33127	Deep Impact Socket 27mm
S20016	Standard Chrome Socket 16mm	S24216	Standard Chrome Socket 16mm	S32030	Impact Socket 15/16"	S33130	Deep Impact Socket 30mm
S20017	Standard Chrome Socket 17mm	S24217	Standard Chrome Socket 17mm	S32032	Impact Socket 1"	S33132	Deep Impact Socket 32mm
S20017 S20018	Standard Chrome Socket 18mm	S24218	Standard Chrome Socket 18mm	S32034	Impact Socket 1-1/16"	S33134	Deep Impact Socket 34mm
		S24219	Standard Chrome Socket 19mm	S32036	Impact Socket 1-1/8"	S33136	Deep Impact Socket 36mm
S20019	Standard Chrome Socket 19mm	S24221	Standard Chrome Socket 21mm	S32038	Impact Socket 1-3/16"		SAE 6 POINT
S20021	Standard Chrome Socket 21mm	S24222	Standard Chrome Socket 22mm	S32040	Impact Socket 1-1/4"		CT SOCKETS
S20022	Standard Chrome Socket 22mm	S24223	Standard Chrome Socket 23mm	S32112	Deep Impact Socket 3/8"	S34132	Deep Impact Socket 1"
S20024	Standard Chrome Socket 24mm	S24224	Standard Chrome Socket 24mm	S32114	Deep Impact Socket 7/16"	S34134	Deep Impact Socket 1-1/16"
	METRIC 12 POINT	OZTZZT		002111		001101	





Part No.	Description
S34140	Deep Impact Socket 1-1/4"
S34142	Deep Impact Socket 1-5/16"
S34144	Deep Impact Socket 1-3/8"
S34146	Deep Impact Socket 1-7/16"

Description	
Deep Impact Socket 1-1/2"	
METRIC 6 POINT	
CT SOCKETS	
Deep Impact Socket 26mm	
	Deep Impact Socket 1-1/2" METRIC 6 POINT CT SOCKETS

Part No.	Description
S35127	Deep Impact Socket 27mm
S35130	Deep Impact Socket 30mm
S35132	Deep Impact Socket 32mm
S35133	Deep Impact Socket 33mm

	Part No.	Description
	S35135	Deep Impact Socket 35mm
	S35136	Deep Impact Socket 36mm
	S35138	Deep Impact Socket 38mm
_		

1/4" DRIVE TINY BONE 5 IN 1 RATCHET HANDLE











Part No.	Description
S39001	Proferred 1/4" Drive Tiny Bone 5 in 1 Ratchet Handle



SOCKET ACCESSORIES & RATCHETS



Part No.	Description
S40001	1/4" Drive Pear Ratchet Handle 72 Teeth 4.5"
S43001	1/4" Drive Extension Bar 2"
S43002	1/4" Drive Extension Bar 4"
S43003	1/4" Drive Extension Bar 6"
S45001	1/4" Drive Universal Joint
S49001	1/4" Drive Magnetic Aluminum Socket Rail 12" Length with 15 Clips
S40101	3/8" Drive Pear Ratchet Handle 72 Teeth 8"
S41101	3/8" Drive Flex Handle (Breaker Bar) 10"
S42101	3/8" Drive Cobra Flex Handle (Breaker Bar) 8"
S43101	3/8" Drive Extension Bar 3"
S43102	3/8" Drive Extension Bar 6"
S43103	3/8" Drive Extension Bar 10"
S44101	3/8" Drive Impact Extension Bar 3"
S44102	3/8" Drive Impact Extension Bar 6"
S45101	3/8" Drive Universal Joint
S46101	3/8" Impact Universal Joint

	343101 347101
Part No.	Description
S47101	3/8" F - 1/4" M Adapter
S47102	3/8" F - 1/2" M Adapter
S49101	3/8" Drive Magnetic Aluminum Socket Rail 17" Length with 15 Clips
S40201	1/2" Drive Pear Ratchet Handle 60 Teeth 10"
S41201	1/2" Drive Flex Handle (Breaker Bar) 15"
S42201	1/2" Drive Cobra Flex Handle (Breaker Bar) 10"
S43201	1/2" Drive Extension Bar 5"
S43202	1/2" Drive Extension Bar 10"
S43203	1/2" Drive Extension Bar 20"
S44201	1/2" Drive Impact Extension Bar 5"
S44202	1/2" Drive Impact Extension Bar 10"
S45201	1/2" Drive Universal Joint
S46201	1/2" Impact Universal Joint
S47201	1/2" F - 3/8" M Adapter
S47202	1/2" F - 3/4" M Adapter
S49201	1/2" Drive Magnetic Aluminum Socket Rail 19" Length with 15 Clips





STEEL STAPLE GUN TACKER / HAMMER TACKER

Features

- Bottom loading magazine.
- Durable all-steel construction.
- Ergonomic handle grip.





Part No.	Description
T42003	Proferred Staples 3/8" (10mm) Height, 1.2mm Thick, 10.6mm Wide
T42004	Proferred Staples 1/2" (12mm) Height, 1.2mm Thick, 10.6mm Wide
T42005	Proferred Staples 9/16" (14mm) Height, 1.2mm Thick, 10.6mm Wide

25' TAPE MEASURE 1" BLADE

Features

- Durable nylon coated steel blade with double hook secured on both sides of the blade.
- ABS case designed with ergonomic TPR grip to fit comfortably in your hand.
- Safety buffer absorbs backlash during tape retraction.

Part No.	Description
T53001	Proferred 25' Tape Measure 1" Blade



RETRACTABLE UTILITY KNIFE / 12 PIECES UTILITY BLADES

Features

- Blade change: quick release for easy exchange of blades.
- Pop up blade dispenser release button allows instant blade change. No tools required.
- SK2 blades: 5 additional high carbon SK2 blades inside the pop up blade dispenser.
- Thermoplastic rubber (TPR) soft grip offers thumb rest and comfortable use with less slippage.

Part No.	Description
T54001	Proferred Retractable Utility Knife



Part No.	Description
T55001	Proferred 12 Pieces Utility Blades

HEAVY DUTY ADJUSTABLE WRENCH INDUSTRIAL BLACK PHOSPHATE

LENGTH: 6", 8", 10", 12", 15", 18", 24"

- Raised head design prevents unintended change to the opening width of jaw while wrench is laid flat. Available in 6"-15".
- flat. Available in 6"-15". 15 degree offset allows for ease of use in tight working areas.
- Thin jaw improves access in tight spaces.
- Wider grip opening design allows for wider range of fastener sizes.

Part No.	Description
T05042	Proferred 6" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05043	Proferred 8" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05044	Proferred 10" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05045	Proferred 12" Heavy Duty Adjustable Wrench Industrial Black Phosphate



Part No.	Description
T05046	Proferred 15" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05007	Proferred 18" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05009	Proferred 24" Heavy Duty Adjustable Wrench Industrial Black Phosphate





HEAVY DUTY ADJUSTABLE WRENCH CHROME FINISH

LENGTH: 4", 6", 8", 10", 12", 15", 18", 24"

- Raised head design prevents unintended change to the opening width of jaw while wrench is laid flat. Available in 6"-15"
- 15 degree offset allows for ease of use in tight working areas.
- Thin jaw improves access in tight spaces.
- Wider grip opening design allows for wider range of fastener sizes.

Part No.	Description
T05011	Proferred 4" Heavy Duty Adjustable Wrench Chrome Finish
T05052	Proferred 6" Heavy Duty Adjustable Wrench Chrome Finish
T05053	Proferred 8" Heavy Duty Adjustable Wrench Chrome Finish
T05054	Proferred 10" Heavy Duty Adjustable Wrench Chrome Finish



	Part No.	Description
	T05055	Proferred 12" Heavy Duty Adjustable Wrench Chrome Finish
	T05056	Proferred 15" Heavy Duty Adjustable Wrench Chrome Finish
	T05017	Proferred 18" Heavy Duty Adjustable Wrench Chrome Finish
•	T05019	Proferred 24" Heavy Duty Adjustable Wrench Chrome Finish

MINING ADJUSTABLE WRENCH WITH HAMMER

LENGTH: 12"

Features

- 5 tools in 1: adjustable wrench, pipe wrench, hammer, 7/8" ratcheting box end, 1/2" drive ratcheting wrench
- Rust resistant SAE 6140 Steel.
- Fully heat treated, hot forged handle.
- Ergonomically designed for a comfortable hand grip.
- Wrench comes with a dual hide holster belt clip with chain for additional tool attachments.

Part No.	Description
T10001	Proferred 12" Mining Adjustable Wrench w/ Hammer



Part No.	Description
T08003	Proferred 10" Plumbing Adjustable Wrench
T08004	Proferred 12" Plumbing Adjustable Wrench

PLUMBING ADJUSTABLE WRENCH

LENGTH: 6", 8", 10", 12"

- Ideal for plumbing, automotive and gas industries.
- Super thin head allows for use in limited and narrow spaces.

 Greater jaw capacity allows 55% wider opening than traditional wrench.
- - Jaw depth is 30% higher than general wrench.

Part No.	Description	
T08001	Proferred 6" Plumbing Adjustable Wrench	
T08002	Proferred 8" Plumbing Adjustable Wrench	

OUICK SNAP ADJUSTABLE WRENCH

LENGTH: 8"

- Greater jaw capacity
- Quick release jaw allows for fast setting with one easy pull.
- Dual teeth fits SAE and Metric fastener specifications.
- Micro-adjusting the movable pad allows the knurl to adjust the jaw opening. Convenient and 5-times faster operation.

Part No.	Description
T07001	Proferred 8" Quick Snap Adjustable Wrench







RATCHETING ADJUSTABLE WRENCH

LENGTH: 8"

Features

- Combination function ratcheting and adjusting.
- Efficient ratcheting function offers greater efficiency compared to conventional wrenches.
- Anti-slip comfort grip design TPR material handle with ridged design ensures a strong grip and prevents slippage.

Part No.	Description
T09002	Proferred 8" Ratcheting Adjustable Wrench



TIGER'S PAW™ ADJUSTABLE WRENCH WITH PADDED HANDLE

LENGTH: 6", 8", 10", 12"

Features

- Head triangle increased hardness HRC 3 degrees.
- The hole design reduces overall weight by 10%, eliminating physical stress.
- Jaw teeth protects the corners of the nuts, while reducing slippage at the same time.
 - Anti-slip TPR material ensures a comfortable grip.

Part No.	Description
T06002	Proferred 6" Tiger's Paw™ Adjustable Wrench w/ Padded Handle
T06003	Proferred 8" Tiger's Paw™ Adjustable Wrench w/ Padded Handle



Part No.	Description
T06004	Proferred 10" Tiger's Paw™ Adjustable Wrench w/ Padded Handle
T06005	Proferred 12" Tiger's Paw™ Adjustable Wrench w/ Padded Handle

COMBINATION WRENCHES

- Precision: manufactured to ANSI & DIN industrial standards.
- Durability: quality chrome vanadium steel. Precision heat treated and drop forged for maximum strength.
- Visibility: larger marking for easy size identification.



T45001



T45002





T4500

Part No.	Description	
T45001	Proferred 9 Pieces Combination Wrenches Set (1/4" - 3/4")	
T45002	Proferred 14 Pieces Combination Wrenches Set (3/8" - 1 1/4")	
T45003	Proferred 4 Pieces Combination Wrenches Set (1 5/16", 1 3/8", 1 7/16", 1 1/2")	
T46005	Proferred 1/4" Combination Wrench, 12 Pt.	
T46007	Proferred 5/16" Combination Wrench, 12 Pt.	
T46009	Proferred 3/8" Combination Wrench, 12 Pt.	
T46010	Proferred 7/16" Combination Wrench, 12 Pt.	
T46011	Proferred 1/2" Combination Wrench, 12 Pt.	
T46012	Proferred 9/16" Combination Wrench, 12 Pt.	
T46013	Proferred 5/8" Combination Wrench, 12 Pt.	
T46014	Proferred 11/16" Combination Wrench, 12 Pt.	
T46015	Proferred 3/4" Combination Wrench, 12 Pt.	

Part No.	Description
T46016	Proferred 13/16" Combination Wrench, 12 Pt.
T46017	Proferred 7/8" Combination Wrench, 12 Pt.
T46018	Proferred 15/16" Combination Wrench, 12 Pt.
T46019	Proferred 1" Combination Wrench, 12 Pt.
T46020	Proferred 1-1/16" Combination Wrench, 12 Pt.
T46021	Proferred 1-1/8" Combination Wrench, 12 Pt.
T46023	Proferred 1-1/4" Combination Wrench, 12 Pt.
T46024	Proferred 1-5/16" Combination Wrench, 12 Pt.
T46025	Proferred 1-3/8" Combination Wrench, 12 Pt.
T46026	Proferred 1-7/16" Combination Wrench, 12 Pt.
T46027	Proferred 1-1/2" Combination Wrench, 12 Pt.





FLEX RATCHETING WRENCH

SIZE: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

- Torque capability is 30% greater than ANSI industrial standard.
- 72 teeth ratcheting box end needs only 5 degrees swing arc versus 30 degrees for standard box
- Durability quality chrome vanadium steel. Precision heat treated for maximum strength.
- Flex head tilts up to 180 degrees.

Part No.	Description	
T44008	Proferred 1/4" Flex Ratcheting Wrench	
T44010	Proferred 5/16" Flex Ratcheting Wrench	
T44012	Proferred 3/8" Flex Ratcheting Wrench	
T44014	Proferred 7/16" Flex Ratcheting Wrench	
T44016	Proferred 1/2" Flex Ratcheting Wrench	



Part No.	Description
T44018	Proferred 9/16" Flex Ratcheting Wrench
T44020	Proferred 5/8" Flex Ratcheting Wrench
T44022	Proferred 11/16" Flex Ratcheting Wrench
T44024	Proferred 3/4" Flex Ratcheting Wrench

HAND & TOOL WIPES CANISTER / SINGLE PACK **Features**

- Dual cleaning surfaces textured and non-scratching cleaning surface.
- Lint free sturdy wipes scrub without tearing.
- No VOCs safe for the environment.
- 82 9"x12" wipes in each canister.
- No water needed
- Cuts grease, grime, oil dirt, lube and mastic but safe on hands.



Part No.	Description
T99001	Proferred Hand & Tool Wipes Canister

Description	

Part No.	Description		Part No.	Description
T99001	Proferred Hand & Tool Wipes Canister		T99003	Proferred Hand & Tool Wipes Single Pack
		_		

HIGH SPEED DRILL BIT SET

- 21-piece Jobber Length Set
- 1/16" 3/8" in 1/64" increments
- M2 material with a black finish
- Split drill point
- 135° cutting angle
- Brinell hardness HB 200-220
 - Plastic storage index case

Part No.	Description
C20001	Proferred High Speed Steel Twist Drill Bit Set





ARRIVING APRIL, 2016

- Combination Wrenches Metric: 8mm thru 22mm
- Combination Wrenches, Flex Ratcheting Metric: 8mm thru 19mm
- Pipe Wrenches Carbon Steel: 14" & 18"
- Internal/External Snap Ring Pliers w/ Assorted Tips
- Ball Peen Hammers w/ Hickory Handle: 12oz. & 16oz.
- Dead Blow Hammer: 3lb.
- Pry Bars: 12" & 24"
- Hex Key Sets, T-Handle: Inch & Metric
- Drive Bits Nut Setters: 1/4"x4", 5/16"x4", 3/8"x4", 1/2"x4", 9/16"x4"
- Jab Saw / Drywall Saw
- Hacksaw

- Bi-Metal Hacksaw Blades
- Wire Stripper / Crimper
- Cable Ties Natural
- Cable Ties Black UV Rated
- Gloves: Nitrile Disposable, Polyester Coated, General Purpose & Leather
- Tape Measures: Inch & Metric
- Safety Glasses UV / Anti Fog
- Safety Vest
- Ear Plugs







Fast-Spec, Inc. Summit Industries, Inc.
Tel: 817-226-6444 Tel: 817-861-8144
Fax: 817-226-0458 Fax: 817-274-1156
www.fastspecinc.com www.summitseal.com

475 Dodson Lake Dr., Arlington, TX 76012